

Appendix 3: Type specimens of the Nepalese flowering plants housed in the National Herbarium of Nepal (KATH).

ACANTHACEAE

Justicia tukuchensis V. A. W. Graham in J. Jap. Bot. 56: 117, f. 1 (1981). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 126 (2012). (Fig. 524). Central: Ghasa, S. of Tukucha, Kali Gandaki, 7500 ft., 1954.8.28, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 7515 (isotype).

Strobilanthes angustifrons C. B. Clarke in Fl. Brit. Ind. 4: 466 (1884). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 128 (2012). (Fig. 525).

Goldfussia acuminata Shakya in J. Jap. Bot. 50: 99, f. 3 (1975). Central: Bhujji Khola, Dolpa District, 2150 m, 1952.10.16, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 9059 (isotype of *Goldfussia acuminata*).

Strobilanthes bheriensis (Shakya) J. R. I. Wood in Edinb. J. Bot. 51(4): 218 (1994). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 128 (2012). (Fig. 526).

Dossifluga bheriensis Shakya in J. Jap. Bot. 50: 97, f. 1 & 4a (1975).

West: Between Hurta and Narkhu, Bheri river, Dolpa District, 2150 m, 1952.9.6, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 3233 (isotype of *Dossifluga bheriensis*).

Strobilanthes cuneata (Shakya) J. R. I. Wood in Edinb. J. Bot. 51(4): 218 (1994). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 129 (2012). (Fig. 527).

Dossifluga cuneata Shakya in J. Jap. Bot. 50: 99, f. 2 & 4b (1975).

Central: South of Tukucha, Mustang District, 2460 m, 1954.8.27, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 7498 (isotype of *Dossifluga cuneata*).

Thunbergia nepalensis Bh. Adhikari & J. R. I. Wood in Kew Bull. 68(4): 2 (2013).

Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 2 (2015). (Fig. 528).

West: Doti, 2105 m, 2009.6.30, *H. Ikeda, S. Noshiro, M. Amano, T. Tanaka, N. Yamamoto, C. A. Pendry, B. Dell, Y. Wang, G. D. Bhatt and A. P. Bhattarai* 20919006 (isotype).

BEGONIACEAE

Begonia flagellaris H. Hara in J. Jap. Bot. 48: 358, f. 3 (1973). Rajbhandari et al. in Catal.

Nep. Fl. Pl. Suppl. 1: 5 (2015). (Fig. 529).

Central: Gul Bhanjang – Latsu, 2500-2400 m, 1972.8.29, *H. Kanai, H. Hara and H. Ohba* 723648 (isotype).

Begonia minicarpa H. Hara in J. Jap. Bot. 47: 112, f. 2 (1972). Rajbhandari et al. in Catal.

Nep. Fl. Pl. Suppl. 1: 5 (2015). (Fig. 530).

East: Dharan, Sunsari District, 1900 ft., 1967.9.2, *Williams and Stainton* 8319 (isotype).

BERBERIDACEAE

Berberis karnaliensis Bh. Adhikari in Edinb. J. Bot. 69: 500 (2012). Rajbhandari et al. in

Catal. Nep. Fl. Pl. Suppl. 1: 5 (2015). (Fig. 531).

West: Bumra, Jumla District, 2960 m, 2008.6.5, *C. A. Pendry, S. Baral, S. Noshiro, S.*

Rajbhandary, P.P. Kurmi, B. Dell and B.

Adhikari JRS A59 (isotype).

CARYOPHYLLACEAE

Arenaria mukerjeeana (Majumdar) H. Hara in J. Jap. Bot. 51: 7 (1976). (Fig. 532).

Stellaria mukerjeeana Majumdar in Blumea 16: 267, f. 1 (1968). Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 45 (2011).

Central: Muktinath, Mustang District, 12500 ft., 1964.7.24, *T. B. Shrestha & M. S. Bista* 2462 (isotype of *Stellaria mukerjeeana*).

Silene davidlongii Rajbh. & Mitsuo Suzuki in *J. Jap. Bot.* 82: 276, f. 3-4 (2007). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 9 (2015). (Fig. 533).

West: Khaptang, Mugu Khola, Mugu District, 15000 ft., 1952.8.21, *O. Polunin, W. R. Sykes and L. H. J. Williams* 5373 (isotype).

COMPOSITAE

Artemisia mustangensis Yonek. in Ohba et al., *Flora of Mustang, Nepal* 339 (2008). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 12 (2015). (Fig. 534).

Central: Ommang - Marpha, Mustang District, 2730 m, 1996.8.4, *T. Hoshino, M. Amano, H. Koba, N. Miyoshi, K. R. Rajbhandari, M. Sato, P. Shrestha and S. Takatsuki* 9666162 (paratype).

CRASSULACEAE

Rosularia marnieri (R.-Hamet ex H. Ohba) H. Ohba in *J. Jap. Bot.* 52: 7 (1977). Rajbhandari et al. in *Catal. Nep. Fl. Pl.* 2: 134 (2011). (Fig. 535).

Sedum marnieri R.-Hamet ex H. Ohba in *J. Jap. Bot.* 49: 260 (1974).

Central: Marsiandi, Manang District, 12000-13000 ft., 1950.9.11, *D. G. Lowndes* 1506 (isotype of *Sedum marnieri*).

CRUCIFERAE

Desideria haranensis Al-Shehbaz in *Ann. Miss. Bot. Gard.* 87: 559 (2000). Rajbhandari et al. in *Catal. Nep. Fl. Pl.* 2: 35 (2011). (Fig. 536).

Ermaniopsis pumila H. Hara in *J. Jap. Bot.* 49: 200, f. 4 (1974).

West: Saldang gaon, Dolpa District, 5500 m,

1952.6.26, *O. Polunin, W. R. Sykes and L. H. J. Williams* 24 (isotype of *Ermaniopsis pumila*).

CYPERACEAE

Carex hemineuros T. Koyama in *Bot. Mag. Tokyo* 86: 276, f. 1 (1973). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 86 (2010). (Fig. 537).

West: Tarakot, Bheri river, Dolpa District, 10000 ft., 1952.7.8, *O. Polunin, W. R. Sykes and L. H. J. Williams* 2399 (isotype).

Kobresia esbirajbhandarii Rajbh. & H. Ohba in *J. Jap. Bot.* 62(9): 272 (1987). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 97 (2010). (Fig. 538).

East: Dudh Kunda – Dudhkunda glacier, Solukhumbu District, 4600 m, 1985.8.29, *K. R. Rajbhandari* 61776 (isotype).

Kobresia harae Rajbh. & H. Ohba in *J. Jap. Bot.* 62: 193, f. 1 (1987). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 98 (2010). (Fig. 539). Central: Serdingma – Dubikharka, Ramechhap District, 3400-3720 m, 1985.7.7, *H. Ohba, T. Kikuchi, M. Wakabayashi, M. Suzuki, N. Kurosaki, K. R. Rajbhandari and S. K. Wu* 8570278 (isotype).

Kobresia kanaii Rajbh. & H. Ohba in *Him. Pl.* 2: 135 (1991). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 98 (2010). (Fig. 540). Central: Serdingma – Dubikharka, Ramechhap District, 3400-3720 m, 1985.7.7, *H. Ohba, T. Kikuchi, M. Wakabayashi, M. Suzuki, N. Kurosaki, K. R. Rajbhandari and S. K. Wu* 60410 (isotype).

Kobresia mallae Rajbh. & H. Ohba in *J. Jap. Bot.* 62: 257, f. 2 (A-H), 3 (A) (1987). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 98 (2010). (Fig. 541).

Central Nepal, Throng Phedi, Mustang District, 4000 m, 1983.7.24, *H. Ohba, H. Kanai, M.*

Wakabayashi, M. Suzuki and S. Akiyama
8330827 (isotype).

ELAEAGNACEAE

Elaeagnus kanaii Momiy. in J. Jap. Bot. 48: 264, f. 4 (1973). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 176 (2012). (Fig. 542).
Central: Thangjet – Kilojet, Rasuwa District, 1750-2250 m, 1970.6.28, *H. Kanai and P. R. Shakya* 68 (isotype).

ERIOCAULACEAE

Eriocaulon staintonii Satake in J. Jap. Bot. 48: 316, f. 1 (1973). Rajbhandari & Baral in Catal. Nep. Fl. Pl. 1: 12 (2010). (Fig. 543).
East: Arun valley, Hatisar, N. of Num, Sankhuwasabha District, 6000 ft., 1956.8.20, *J. D. A. Stainton* 1386 (isotype).

EUPHORBIACEAE

Baliospermum calycinum Muell.-Arg. var. **nepalense** (Hurus. & Ya. Tanaka) Chakrab. & N. P. Balakr. in Bull. Bot. Surv. Ind. 32: 20, f. 7 (1990, publ. 1992). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 182 (2012). (Fig. 544).

Baliospermum nepalense Hurus. & Ya. Tanaka in Fl. E. Himal. 174, f. 20, A-F (1966).
East: Mai Majuwa – Dharapani, Ilam District, 1600-1500 m, 1963.12.4, *H. Hara, H. Kanai, S. Kurosawa, G. Murata, M. Togashi and T. Tuyama* 6306822 (isotype of *Baliospermum nepalense*).

Euphorbia pseudosikkimensis (Hurusawa & Ya. Tanaka) Radcliffe-Smith in Kew Bull. 32: 216 (1981). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 185 (2012). (Fig. 545).

Tithymalus pseudosikkimensis Hurusawa & Ya. Tanaka in Fl. E. Him. 182 (1966).
East: Siling Tzokupa, Taplejung District, 1963.11.21, *H. Hara, H. Kanai, S. Kurosawa,*

G. Murata and M. Togashi 6306780 (paratype of *Tithymalus pseudosikkimensis*).

Mallotus bicarpellatus T. Kuros., Edinb. J. Bot. 61(1): 31 (2004). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 21 (2015). (Fig. 546).
Central: Gokarna, Bhaktapur District, 1350 m, 1966.9.10, *D. H. Nicolson* 2282 (isotype).

GENTIANACEAE

Gentianella lowndesii H. Sm. in J. Jap. Bot. 56: 276 (1981). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 79 (2012). (Fig. 547).
Central: Bimtakothe, 13000 ft., 1950.9.13, *D. G. Lowndes* 1541 (isotype).

Lomatogonium micranthum H. Sm. in J. Jap. Bot. 56: 277 (1981). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 80 (2012). (Fig. 548).
Central: Above Gurjakhani, Myagdi District, 9500 ft., 1954.9.15, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 4426 (isotype).

GRAMINEAE

Himalayacalamus brevinodus C. M. A. Stapleton in Edinb. J. Bot. 51(3): 312, f. 3 (1994). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 24 (2015). (Fig. 549).
East: PAC, Dhankuta, Dhankuta District, 1500 m, 1991.1.11, *Stapleton* 908 (isotype).

Himalayacalamus porcatus C. M. A. Stapleton in Edinb. J. Bot. 51(3): 318, f. 6 (1994). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 25 (2015). (Fig. 550).
Central: Syabru, Rasuwa District, 7500 ft., 1984.10.8, *Stapleton* 332 (isotype).

Poa harae Rajbh. in Acta Phytotax. Geobot. 39: 55 (1988). Rajbhandari & Baral in Catal. Nep. Fl. Pl. 1: 136 (2010). (Fig. 551).
East: Beni Kharka – Yurigolcha, Solukhumbu

District, 4600 m, 1985.8.23, *K. R. Rajbhandari* 61665 (isotype).

Poa hideaki-ohbae Rajbh. in *J. Jap. Bot.* 88(2): 77, f. 1-3 (2013). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 25 (2015). (Fig. 552). Central: Pati Kharka near Pabil Kharka, Dhading District, 3400 m, 1994.8.5, *K. R. Rajbhandari* 17562 (holotype).

Poa kanaii Rajbh. in *Acta Phytotax. Geobot.* 39: 58 (1988). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 136 (2010). (Fig. 553). Central: Thorungse, Mustang District, 4600 m, 1983.7.25, *K. R. Rajbhandari* 8365 (isotype).

Poa mustangensis Rajbh. in *Acta Phytotax. Geobot.* 39: 61 (1988). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 136 (2010). (Fig. 554). Central: Thorungse, Mustang District, 4900 m, 1983.7.25, *K. R. Rajbhandari* 8352 (isotype).

Thamnocalamus spathiflorus (Trin.) Munro subsp. **nepalensis** Stapleton in *Edinb. J. Bot.* 51(2): 283 (1994). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 25 (2015). (Fig. 555). Central: Karuwa, Pipar, Kaski District, 3400 m, 1983.11.15, *Stapleton* 308 (isotype).

IRIDACEAE

Iris staintonii H. Hara in *J. Jap. Bot.* 49: 203, f. 5 (1974). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 39 (2010). (Fig. 556). Central: Abuthum Lekh, Ganesh Himal, 11500 ft., 1962.7.9, *J. D. A. Stainton* 3960 (isotype).

JUNCACEAE

Juncus biglumoides H. Hara in *J. Jap. Bot.* 49: 201 (1974). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 26 (2015). (Fig. 557). Central: Rambrong, Lamjung Himal, 12000 ft., 1954.6.29, *J. D. A. Stainton*, *W. R. Sykes* and *L. H. J. Williams* 6029 (isotype).

Juncus ganeshii Miyam. & H. Ohba in *J. Jap. Bot.* 70(5): 245 (1995). Rajbhandari & Baral in *Catal. Nep. Fl. Pl.* 1: 79 (2010). (Fig. 558). Central: Jaisuli Kund – Paldol Base Camp, Rasuwa District, 4440 m, 1994.8.2, *F. Miyamoto*, *K. R. Rajbhandari*, *S. Akiyama*, *M. Amano*, *H. Ikeda* and *Y. Tsukaya* 9410148 (isotype).

Juncus nepalicus Miyam. & H. Ohba in *J. Jap. Bot.* 68: 28 (1993). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 27 (2015). (Fig. 559). East: Around Cha Ding Kharka, Sankhuwasabha District, 3970 m, 1990.8.7, *M. Minaki*, *C. Yonebayashi*, *F. Miyamoto*, *H. Takayama*, *H. Sugita*, *H. Yagi*, *M. N. Subedi* and *H. Ikeda* 9020690 (isotype).

LABIATAE

Isodon dhankutanus Murata in *Acta Phytotax. Geobot.* 22: 21, t. 1 & 2 (1) (1966). Rajbhandari et al. in *Catal. Nep. Fl. Pl.* 3: 139 (2012). (Fig. 560). East: Dhankuta, Dhankuta District, 1200 m, 1963.10.18, *H. Hara*, *H. Kanai*, *S. Kurosawa*, *G. Murata*, *M. Togashi* and *T. Tuyama* 6306467 (isotype).

Salvia transhimalaica Yonek. in Ohba et al., *Flora of Mustang, Nepal* 265 (2008). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 29 (2015). (Fig. 561). Central: Lo Manthang, Mustang District, 3800 m, 2002.8.23, *F. Miyamoto*, *N. Kurosaki*, *S. Akiyama*, *H. Ikeda*, *M. Tsusaka* and *M. N. Subedi* 20220253 (paratype).

LEGUMINOSAE

Astragalus langtangensis Podlech in *Senddtnera* 6: 136 (1999). Rajbhandari et al. in *Catal. Nep. Fl. Pl. Suppl.* 1: 30 (2015). (Fig. 562). Central: Langtang Valley, Rasuwa District, c.

13000 ft., 1965.6.24, *Schilling, Sayers and Bista* 380 (isotype).

ONAGRACEAE

Epilobium wallichianum Hausskn. in Oesterr. B. Zeits. 29: 54 (1879). Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 144 (2011). (Fig. 563).

Epilobium sykesii Raven in Bull. Brit. Mus. (Nat. Hist.) B. 2: 366, t. 34 A (1962).
Central: South of Gurjakhani, 10000 ft., 1954.8.19, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 3894 (isotype of *Epilobium sykesii*).

Epilobium williamsii Raven in Bull. Brit. Mus. (Nat. Hist.) B. 2: 378, t. 38 B (1962).
Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 144 (2011). (Fig. 564).

Epilobium squamosum Raven in Bull. Brit. Mus. (Nat. Hist.) B. 2: 380, t. 39 B (1962)
East: Chhoyang Khola, W of Num, Arun Valley, 11500 ft., 1956.6.20, *J. D. A. Stainton* 726 (isotype of *Epilobium squamosum*).

ORCHIDACEAE

Bhutanthera fimbriata B. B. Raskoti in Phytotaxa 62: 57, f. 1 & 2 (2012). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 38 (2015). (Fig. 565).

Central: Way to Gosainkunda, Langtang National Park, Rasuwa District, 3800 m, 2008.7.14, *B. B. Raskoti* 234 (holotype).

Bulbophyllum nepalense Raskoti & Ale in Edinb. J. Bot. 70(2): 381, f. 1 A-G, f. 2 A-B (2013). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 38 (2015). (Fig. 566).
Central: Sivapuri National Park, Kathmandu District, 2300 m, 2010.8.3, *B. B. Raskoti* 325 (holotype).

Eria annapurnensis L. R. Shakya & M. R. Shrestha in Edinb. J. Bot. 64(1): 1, f. 1 A-G (2007). Rajbhandari & Baral in Catal. Nep. Fl. Pl. 1: 55 (2010). (Fig. 567).

Central: Chhomrong, Annapurna Conservation Area, north of Pokhara, Kaski District, 2000 m, 2005.6.10, *L. Shakya, M. Shrestha and S. Shakya* 74 (holotype).

Eria baniaii Bajracharya, Shakya and Chettri in J. Orchid. Soc. Ind. 16(1-2): 91, f. 1 A-F (2002). Rajbhandari & Baral in Catal. Nep. Fl. Pl. 1: 55 (2010). (Fig. 568).

Central: Khanigaon, Kathmandu valley, 1600 m, 1993.1.26, *D. Bajracharya, L. Shakya and M. Chettri* CBS 160 (isotype).

Eria nepalensis D. M. Bajracharya & K. K. Shrestha in J. Jap. Bot. 78: 158, f. 1 A-H (2003). Rajbhandari & Baral in Catal. Nep. Fl. Pl. 1: 57 (2010). (Fig. 569).

Central: Sauraha, Chitwan, 200 m, 2000.2.26, *D. M. Bajracharya* CN 260 (holotype).

Eria pokharensis Bajracharya, Subedi and Shrestha in J. Orchid. Soc. Ind. 17(1-2): 1, f. 1 A-G (2003). Rajbhandari & Baral in Catal. Nep. Fl. Pl. 1: 57 (2010). (Fig. 570).

Central: Lumle, Kaski, 900-1000 m, 2000.4.10, *D. M. Bajracharya & A. Subedi* CN 220 (holotype).

Gastrochilus calceolaris (Buch.-Ham. ex Sm.) D. Don var. **biflora** L. R. Shakya & M. R. Shrestha in Edinb. J. Bot. 64(1): 3, f. 2 A-E (2007). Rajbhandari & Baral in Catal. Nep. Fl. Pl. 1: 58 (2010). (Fig. 571).

Central: Chhomrong, Kaski District, 2000 m, 2005.6.10, *L. Shakya, M. Shrestha and S. Shakya* 75 (holotype).

Herminium hongdeyanii Raskoti in Phytotaxa 98(1): 23 (2013). Rajbhandari et al. in Catal.

Nep. Fl. Pl. Suppl. 1: 39 (2015). (Fig. 572).
Central: Chandragiri, Kathmandu District,
2200 m, 2012.9.25, *B. B. Raskoti* 571 (holotype).

Liparis langtangensis B. B. Raskoti & Ale in
Novon 23: 83 (2014). Rajbhandari et al. in Catal.
Nep. Fl. Pl. Suppl. 1: 39 (2015). (Fig. 573).
Central: Kyangjin Kharka, Langtang National
Park, Rasuwa District, 3700-3900 m,
2010.7.26, *B. B. Raskoti* 300 (holotype).

Malaxis delpensis M. R. Shrestha, L. R.
Shakya and S. K. Ghimire in Pleione 1: 6, f. 1
A-E (2007). Rajbhandari & Baral in Catal. Nep.
Fl. Pl. 1: 65 (2010). (Fig. 574).
West: Khorakchhang, Dolpa District, 4200 m,
2003.7, *M. R. Shrestha, S. K. Ghimire and L.
Shahi* MSL – 873 (holotype).

Neottia chandrae B. B. Raskoti, J. J. Wood &
Rita Ale in Nord. J. Bot. 30: 187, f. 1 & 2
(2012). Rajbhandari et al. in Catal. Nep. Fl. Pl.
Suppl. 1: 39 (2015). (Fig. 575).
Central: Lauribinayak, Rasuwa District, 3800 m,
2008.7.20, *B. B. Raskoti* 280 (holotype).

Oberonia nepalensis Shakya & R. P.
Chaudhary in Harv. Pap. Bot. 4(1): 359 (1999).
Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl.
1: 39 (2015). (Fig. 576).
Central: Around Annapurna Conservation Area,
Pokhara, Kaski District, 1100 m, 1996.5, *L. R.
Shakya, R. L. Singh & R. P. Chaudhary* 27
(holotype).

Sunipia nepalensis B. B. Raskoti & R. Ale in
Phytotaxa 31: 55, f. 1 & 2 (2011). Rajbhandari
et al. in Catal. Nep. Fl. Pl. Suppl. 1: 40 (2015).
(Fig. 577).
Central: Simbhanjyang, Makawanpur District,
2400 m, 2008.5.10, *B. B. Raskoti* 270
(holotype).

OROBANCHACEAE

Pedicularis annapurnensis T. Yamaz. in J. Jap.
Bot. 45: 146, f. 4, t. 8, f. 7 (1970). Rajbhandari
et al. in Catal. Nep. Fl. Pl. 3: 104 (2012). (Fig.
578).
Central: Kaski, Annapurna Himal, Seti Khola,
14000 ft., 1954.7.30, *J. D. A. Staiton, W. R.
Sykes and O. Polunin* 6556 (isotype).

Pedicularis chamissonoides T. Yamaz. in J.
Jap. Bot. 45: 148, f. 6, t. 8, f. 8 (1970).
Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 105
(2012). (Fig. 579).
Central: Lamjung, Lamjung Himal, 12500 ft.,
1954.7.16, *J. D. A. Staiton, W. R. Sykes and O.
Polunin* 6364 (isotype).

Pedicularis muguensis T. Yamaz. in Himal. Pl.
1: 104 (1988). Rajbhandari et al. in Catal. Nep.
Fl. Pl. 3: 108 (2012). (Fig. 580).
West: Mugu, Eding, 3600 m, 1984.6.3, *Jackson
et al.* 2572 (paratype).

Pedicularis terrenoflora T. Yamaz. in Fl. E.
Himal. 3: 102, f. 11 & 12 (1975). Rajbhandari
et al. in Catal. Nep. Fl. Pl. Suppl. 1: 41 (2015).
(Fig. 581).
East: Shewaden – Mewa Khola, Taplejung
District, 2200 m, 1972.6.29, *H. Kanai, H.
Ohashi, K. Iwatsuki, H. Ohba, Z. Iwatsuki and
P. R. Shakya* 720925 (isotype).

PAPAVERACEAE

Corydalis spicata Liden in Bull. Brit. Mus.
(Nat. Hist.) Bot. 18(6): 528 (1989). Rajbhandari
et al. in Catal. Nep. Fl. Pl. Suppl. 1: 43 (2015).
(Fig. 582).
West: Kapra, Jumla District, 2580 m,
1985.8.24, *P. R. Shakya, M. N. Subedi and R.
Upriety* 8802 (isotype).

Corydalis stipulata Liden in Bull. Brit. Mus. (Nat. Hist.) Bot. 18(6): 522 (1989). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1:43 (2015). (Fig. 583).

Central: Mailung Khola, S. of Ganesh Himal, Rasuwa, 11000 ft., 1965.9.18, *J. D. A. Stainton* 5127 (isotype).

Corydalis terracina Liden in Bull. Brit. Mus. (Nat. Hist.) Bot. 18(6): 522 (1989). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1:43 (2015). (Fig. 584).

Central: Chipli, N. of Pokhara, Kaski, 8000 ft., 1954.4.18, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 4880 (isotype).

Meconopsis chankheliensis Grey-Wilson in Curtis's Bot. Mag. 23(2): 203 (2006). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 43 (2015). (Fig. 585).

West: Maharigaon, Jumla District, 15000 ft., 1952.7.20, *O. Polunin, W. R. Sykes & L. H. J. Williams* 224 (isotype).

Meconopsis manasluensis P. A. Egan in Phytotaxa 20: 50 (2011). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 43 (2015). (Fig. 586). Central: Samdo, Gorkha District, 4000 m, 2008.8.8, *H. Ikeda, T. Kawahara, O. Yano, N. Yamamoto, M. F. Watson, Z. H. Li, M. N. Subedi and S. K. Acharya* 20815156 (isotype).

Meconopsis staintonii Grey-Wilson in Curtis's Bot. Mag. 23(2): 190 (2006). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 43 (2015). (Fig. 587).

Central: Kali Gandaki valley, above Lete, Mustang District, 12000 ft., 1954.6.4, *J. D. A. Stainton, W. R. Sykes & L. H. J. Williams* 5583 (isotype).

POLYGONACEAE

Bistorta jaljalensis H. Ohba & S. Akiyama, Alpine Fl. Jaljale Himal. 10 (1992).

Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 158 (2012). (Fig. 588).

East: Topke Gola – Bomrang, Sankhuwasabha District, 4200 m, 1991.8.9, *H. Ohba, S. Akiyama, H. Ikeda, T. Kikuchi, S. Noshiro, Y. Omori, M. N. Subedi and M. Wakabayashi* 9120329 (isotype).

Bistorta sherei H. Ohba & S. Akiyama, Alpine Fl. Jaljale Himal. 11 (1992). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 159 (2012). (Fig. 589). East: Jomle - Goja, Sankhuwasabha District, 4150 m, 1991.8.5, *H. Ohba, S. Akiyama, H. Ikeda, T. Kikuchi, S. Noshiro, Y. Omori, M. N. Subedi and M. Wakabayashi* 9120235 (isotype).

Fallopia filipes (H. Hara) Holub in Folia Geobot. Phytotax. 9: 273 (1974). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 160 (2012). (Fig. 590).

Bilderdykia filipes H. Hara in J. Jap. Bot. 47: 137, f. 1a & 2a (1972).

Central: Mardi Khola, Kaski District, 6500 ft., 1954.9.16, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 3437 (isotype of *Bilderdykia filipes*).

RANUNCULACEAE

Aconitum tabatae Tamura in Acta Phytotax. Geobot. 37(4-6): 152 (1986). Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 8 (2011). (Fig. 591).

West: Purbang, Rukum District, 3850 m, 1976.9.17, *H. Tabata, K. R. Rajbhandari, K. Tsuchiya and Y. Konno* 3638 (isotype).

Adonis nepalensis Sim. in Nov. Syst. Pl. Vasc. 7: 146 (1971). Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 9 (2011). (Fig. 592).

Central: Lamjung Himal, Manang District, 15000ft., 1954.7.13, *J. D. A. Stainton, W. R. Sykes and L. H. J. Williams* 6325 (isotype).

Anemone obtusiloba D. Don var. **leiocarpa** Tamura in Acta Phytotax. Geobot. 37 (4-6): 153

(1986). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 46 (2015). (Fig. 593).

East: Salpa Bhanjyang – Charapani, Bhojpur District, 3320 m, 1978.6.26, *H. Tabata*, *K. R. Rajbhandari* and *Y. Shimizu* 10924 (isotype).

Clematis orientalis L. var. **uniflora** Tamura in Acta Phytotax. Geobot. 37 (4-6): 156 (1986). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 46 (2015). (Fig. 594).

Central: Near Muktinath, Mustang District, 3300 m, 1976.10.11-13, *H. Tabata*, *K. R.*

Rajbhandari, *K. Tsuchiya* and *Y. Konno* 9269 (isotype).

Clematis phlebantha L. H. J. Williams in Roy Hort. Soc., London 93: 345, f. 1 & 2, t. 163 (1968). Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 13 (2011). (Fig. 595).

West: Suligad, Dolpa District, 9500 ft., 1963.6.6, *J. D. A. Stainton* 4281 (isotype).

ROSACEAE

Geum elatum Wall. ex G. Don forma **rubrum** Ludlow in Bull. Brit. Mus. (Nat. Hist.), Bot. 5: 276, t. 30 B 91976). Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 105 (2011). (Fig. 596).

West: South of Jumla, Jumla District, 11-12000 ft., 1952.7.2, *O. Polunin*, *W. R. Sykes* and *L. H. J. Williams* 4419 (isotype).

Prunus taplejungnica H. Ohba & S. Akiyama in Bull. Nat. Mus. Nat. & Sci. Ser B. (Bot.) 36(4): 135 (2010). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 49 (2015). (Fig. 597). East: Chairam – Dorongden, Taplejung District, 3520 m, 1992.6.11, *S. Noshiro*, *S. Akiyama* and *N. Acharya* 9261245 (isotype).

RUBIACEAE

Galium hirtiflorum Requier ex DC. var. **hirsutum** T. Yamaz, J. Jap. Bot. 66 (1): 52 (1991).

Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 50 (2015). (Fig. 598).

Central: Kalopani – Tukuche, Mustang District, 2500 m, 1988.8.29, *M. Suzuki*, *T. Maeda*, *N. Naruhashi*, *R. Watanabe*, *M. N. Subedi*, *M. Minaki*, *S. Noshiro*, *H. Ikeda* 8881550 (isotype).

UMBELLIFERAE

Lalldhowjia pastinacifolia Pimenov & Kljuykov in Willdenowia 31: 93, f. 1 & 2 (2002). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 55 (2015). (Fig. 599).

Central: Between Cholangpati and Lauribinayak, Rasuwa District, 3600 m, 1999.11.1, *M. G. Pimenov* and *E. V. Kljuykov* 46 (isotype).

Oreocome involucellata Pimenov & Kljuykov in Willdenowia 31: 118 (2002). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 55 (2015). (Fig. 600).

Central: Between Sing Gompa and Cholangpati, Rasuwa District, 3400 m, 1999.10.31, *M. G. Pimenov* and *E. V. Kljuykov* 39 (isotype).

Sinocarum staintonianum P. K. Mukh. ex Farille & Lachard in Acta Bot. Gall. 149(4): 378 (2002). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 55 (2015). (Fig. 601).

West: Above Sauwala Khola, 13500 ft., 1954.7.23, *J. D. A. Stainton*, *W. R. Sykes* and *L. H. J. Williams* 3591 (isotype).

Vicatia nepalensis Kljuykov in Fedde Repert. 102: 377 (1991). Rajbhandari et al. in Catal. Nep. Fl. Pl. Suppl. 1: 56 (2015). (Fig. 602). West: Tologaon (Marma), 8500 ft., 1965.6.15, *J. D. A. Stainton* 4929 (isotype).

URTICACEAE

Boehmeria densiflora Hook. & Arn. var. **intermedia** N. Acharya & Yonek. in Acta

Phytotax. Geobot. 53(1): 8 (2002). Rajbhandari et al. in Catal. Nep. Fl. Pl. 3: 192 (2012). (Fig. 603).

Central: Jagat, Marsyangdi, Manang District, 1300 m, 1970.11.28, *J. F. Dobremez 673* (isotype).

VITACEAE

Amplelocissus rugosa (Wall.) Planch. in Vigne Am. Vitic. Eur. 8: 374 (1884). Rajbhandari et al. in Catal. Nep. Fl. Pl. 2: 73 (2011). (Fig. 604).

Vitis rugosa Wall. in Roxb., Fl. Ind. 2: 480 (1824).

Central: Nipal, *Wallich s.n.* (isotype of *Vitis rugosa*).

Appendix 4: List of the specimens of endemic flowering plant species of Nepal in the National Herbarium of Nepal (KATH).

(Cat. 1 - Rajbhandari, K. R. and Baral, S. R. (eds.). 2010. *Catalogue of Nepalese flowering plants – I: Gymnosperms and Monocotyledons*. National Herbarium and Plant Laboratories, Department of Plant Resources, Godawari, Lalitpur, Nepal.

Cat. 2 - Rajbhandari, K. R., Bhattarai, K. R. and Baral, S. R. (eds.). 2011. *Catalogue of Nepalese flowering plants – II: Dicotyledons (Ranunculaceae to Dipsacaceae)*. National Herbarium and Plant Laboratories, Department of Plant Resources, Godawari, Lalitpur, Nepal.

Cat. 3 - Rajbhandari, K. R., Bhattarai, K. R. and Baral, S. R. (eds.). 2012. *Catalogue of Nepalese flowering plants – III: Dicotyledons (Compositae to Salicaceae)*. National Herbarium and Plant Laboratories, Department of Plant Resources, Godawari, Lalitpur, Nepal.

Cat. Suppl. 1 - Rajbhandari, K. R., Bhatt, G. D., Chhetri, R. and Rai, S. K. 2015. *Catalogue of Nepalese flowering plants - Supplement 1*. National Herbarium and Plant Laboratories, Department of Plant Resources, Godawari, Lalitpur, Nepal).

ACANTHACEAE

Justicia tukuchensis V.A. W. Graham (Cat. 3: 126).
Ohba et al. 8310455.

Strobilanthes bheriensis (P. R. Shakya) J. R. I. Wood (Cat. 3: 128).
Stainton et al. 3325.

Thunbergia nepalensis Bh. Adhikari & J. R. I. Wood (Cat. Suppl. 1: 2, 63).
Ikeda et al. 20919006.

APOCYNACEAE

Ceropegia meleagris H. Huber (Cat. 3: 72).
Ohba et al. 8311134.

ASPARAGACEAE

Asparagus penicillatus H. Hara (Cat. 1: 19).
Polunin et al. 3202.

BALSAMINACEAE

Impatiens scullyi Hook. f. (Cat. 2: 62).
Stainton et al. 8427.

Impatiens williamsii H. Hara (Cat. 2: 63).
Polunin et al. 3225.

BEGONIACEAE

Begonia flagellaris H. Hara (Cat. Suppl. 1:5, 63).
Kanai et al. 723648.

Begonia minicarpa H. Hara (Cat. Suppl. 1:5, 63).
Williams & Stainton 8319.

BERBERIDACEAE

Berberis karnaliensis Bh. Adhikari (Cat. Suppl. 1: 5).
Pendry et al. JRS A59.

Berberis mucrifolia Ahrendt (Cat. 2: 26).
Shrestha 1685.

BORAGINACEAE

Onosma wallichiana (A. DC.) Benth. ex C. B. Clarke (Cat. 3: 87).
Ohba et al. 8581068.

CAMPANULACEAE

Codonopsis grey-wilsonii J. M. H. Shaw (Cat. 3: 40).

Watson et al. DNEP3 AY19.

CARYOPHYLLACEAE

Arenaria mukerjeeana (Majumdar) H. Hara (Cat. 2: 45).

Shrestha & Bista 2462.

Silene davidlongii Rajbh. & Mitsuo Suzuki (Cat. Suppl. 1: 9, 64).

Polunin et al. 5373.

Silene helleboriflora Exell & Bocquet (Cat. 2: 44).

Stainton et al. 3736.

Silene vautierae Bocquet (Cat. 2: 45).

Stainton et al. 3717.

COMPOSITAE

Artemisia mustangensis Yonek. (Cat. Suppl. 1: 12, 64).

Hoshino et al. 9666162.

Cirsium flavisquamatum Kitam. (Cat. 3: 13).

Minaki et al. 9109038.

Cirsium phulchokiense Kitam. (Cat. Suppl. 1: 13).

CRASSULACEAE

Rosularia marnieri (R.-Hamet ex H. Ohba) H. Ohba (Cat. 2: 134).

Ohba et al. 8330949.

CRUCIFERAE

Desideria haranensis AL-Shehbaz (Cat. Suppl. 1: 64).

Polunin et al. 5345.

Draba staintonii Jafri ex H. Hara (Cat. 2: 36).

Stainton 5486.

CYPERACEAE

Carex himalaica T. Koyama (Cat. 1: 86).

Noshiro et al. 9770290.

Carex rufulistolon T. Koyama (Cat. 1: 89).

Iokawa et al. 20020051.

Kobresia esbirajbhandarii Rajb. & H. Ohba (Cat. 1: 97).

Rajbhandari 61776.

Kobresia mallae Rajbh. & H. Ohba (Cat. 1: 98).

Ohba et al. 8330827.

ERICACEAE

Rhododendron cowanianum Davidian (Cat. 3: 48).

Rajbhandari 17110.

Rhododendron lowndesii Davidian (Cat. 3: 49).

Noshiro et al. 9455341.

ERIOCAULACEAE

Eriocaulon trisectoides Satake (Cat. 1: 12).

Ohba et al. 8332085.

EUPHORBIACEAE

Euphorbia pseudosikkimensis (Harusawa & Ya. Tanaka) Radcl.-Smith (Cat. 3: 185).

Ohba et al. 8570131.

Mallotus bicarpellatus T. Kuros. (Cat. Suppl. 1: 21, 65).

Nicolson 2282.

GENTIANACEAE

Gentianella lowndesii H. Sm. (Cat. 3: 79).

D. G. Lowndes 1541.

Swertia acaulis H. Sm. (Cat. 3: 81).
Stainton 1334.

GRAMINEAE

Borinda emeryi Stapleton (Cat. Suppl. 1: 23).
Miyamoto et al. 9588259.

Elymus nepalensis (Melderis) Melderis (Cat. 1: 119).
Rajbhandari 14880.

Himalayacalamus porcatus C. M. A.
Stapleton (Cat. Suppl. 1: 25, 65).
Stapleton 332.

Poa hideaki-ohbae Rajbh. (Cat. Suppl. 1: 25, 66).
Rajbhandari 17562 (holotype).

Stipa staintonii Bor (Cat. 1: 143).
Rajbhandari 8814.

HYPERICACEAE

Hypericum cordifolium Choisy (Cat. 2: 47).
Rajbhandari et al. 1.

IRIDACEAE

Iris staintonii H. Hara (Cat. 1: 39).
Stainton 3960.

JUNCACEAE

Juncus ganeshii Miyam. & H. Ohba (Cat. 1: 79).
Miyamoto et al. 9410148.

LABIATAE

Caryopteris nepalensis Moldenke (Cat. 3: 134).
Shrestha and Bista 2125.

Isodon dhankutans Murata (Cat. 3: 139).
Hara et al. 6306467.

Isodon pulchokiensis (Murata) H. Hara (Cat. Suppl. 1: 27).
Rajbhandari et al. 207105010.

Lamium staintonii Hedge (Cat. 3: 140).
Banerji and Shakya 5525.

Lamium tuberosum Hedge (Cat. 3: 140).
Stainton 5550.

Micromeria nepalensis Kitam. & Murata (Cat. 3: 142).
Ohba et al. 8311031.

Microtoena nepalensis Stearn (Cat. 3: 143).
Tuyama 6306498.

Nepeta staintonii Hedge (Cat. 3: 143).
Rajbhandari and Malla 6888.

Salvia transhimalaica Yonek. (Cat. Suppl. 1: 29, 66).
Miyamoto et al. 20220253.

LEGUMINOSAE

Colutea multiflora Shap. ex Ali (Cat. 2: 89).
Stainton 1440.

Crotalaria kanaii H. Ohashi (Cat. 2: 89).
Bista 3645.

Oxytropis nepalensis Vass. (Cat. Suppl. 1: 34).
Iokawa and Subedi 20105075.

Oxytropis williamsii Vass. (Cat. 2: 97).
Mikage et al. 9470455.

OLEACEAE

Jasminum amabile H. Hara (Cat. 3: 65).
Pradhan and Niroula 554.

ORCHIDACEAE

Bhutanthera fimbriata B. B. Raskoti (Cat. Suppl. 1: 38, 67).

Raskoti 234.

Bulbophyllum nepalense Raskoti & Ale (Cat. Suppl. 1: 38, 67).

Raskoti 325.

Eria annapurensis L. R. Shakya & M. R. Shrestha (Cat. 1: 55).

Shakya et al. 74.

Eria baniaii Bajracharya, Shakya & Chettri (Cat. 1: 55).

Bajracharya et al. CBS150.

Eria nepalensis D. M. Bajracharya & K. K. Shrestha (Cat. 1: 57).

Bajracharya CN260.

Eria pokharensis Bajracharya, Subedi & Shrestha (Cat. 1: 57).

Bajracharya and Subedi CN220.

Herminium hongdeyanii B. B. Raskoti (Cat. Suppl. 1: 39, 67).

Raskoti 571.

Liparis langtangensis B. B. Raskoti & Ale (Cat. Suppl. 1: 39, 68).

Raskoti 300.

Listera nepalensis N. P. Balakrishnan (Cat. 1: 64).

Manandhar 9908.

Malaxis dolpensis M. R. Shrestha, L. R. Shakya & S. K. Ghimire (Cat. 1: 65).

Shrestha et al. MS-873.

Neottia chandrae B. B. Raskoti (Cat. Suppl. 1: 39, 68).

Raskoti 280.

Oberonia nepalensis Shakya & R. P.

Chaudhary (Cat. Suppl. 1: 39, 68).

Shakya et al. 27.

Pleione coronaria P. J. Cribb & C. Z. Tang (Cat. 1: 73).

Baker et al. 26.

Sunipia nepalensis B. B. Raskoti & R. Ale (Cat. Suppl. 1: 40, 68).

Raskoti 270.

OROBANCHACEAE

Pedicularis annapurensis T. Yamaz. (Cat. 3: 104).

Miyamoto et al. 9420127.

Pedicularis anserantha T. Yamaz. (Cat. 3: 105).

Hoshino et al. 9666134.

Pedicularis breviscaposa T. Yamaz. (Cat. 3: 105).

Joshi and Bhattacharya 74-2396.

Pedicularis chamissonoides T. Yamaz. (Cat. 3: 105).

Miyamoto et al. 9440012.

Pedicularis muguensis T. Yamaz. (Cat. 3: 108).

Jackson et al. 25822.

Pedicularis pseudoregeliana P. C. Tsoong (Cat. 3: 109).

Stainton 4603.

Pedicularis terrenoflora T. Ymaz. (Cat. Suppl. 1: 41, 68).

Kanai et al. 720925.

PAPAVERACEAE

Corydalis calycina Liden (Cat. Suppl. 1: 42).

Suzuki et al. 8860887.

Corydalis clavibracteata Ludlow (Cat. Suppl. 1: 42).

Polunin et al. 2595.

Corydalis megacalyx Ludlow (Cat. 2: 30).

Mikage et al. 9962961.

Corydalis spicata Liden (Cat. Suppl. 1: 46, 68).

Shakya et al. 8802.

Corydalis stipulata Liden (Cat. Suppl. 1: 69).

Stainton 5127.

Corydalis terracina Liden (Cat. Suppl. 1: 69).

Stainton et al. 4880.

Corydalis uncinatella Liden (Cat. 2: 31).

Subedi 729.

Meconopsis chankheliensis Grey-Wilson

(Cat. Suppl. 1: 43, 69).

Polunin et al. 224.

Meconopsis dhwojii G. Taylor ex Hay (Cat. 2: 32).

Rajbhandari and Roy 1645.

Meconopsis manasluensis P. A. Egan (Cat. Suppl. 1: 43, 69).

Ikeda et al. 20815156.

Meconopsis napaulensis DC. (Cat. 2: 32).

Miyamoto et al. 9440083.

Meconopsis regia G. Taylor (Cat. 2: 33).

Rajbhandari and Roy 3375.

Meconopsis staintonii Grey-Wilson (Cat. Suppl. 1: 43, 69).

Stainton et al. 5583.

PLANTAGINACEAE

Veronica emodi T. Yamaz. (Cat. 3: 114).

Tabata et al. 17852.

POLYGONACEAE

Bistorta confusa (Meisn.) Greene (Cat. 3: 157).

Tabata et al. 6071.

Bistorta diopetes H. Ohba & S. Akiyama (Cat. 3: 158).

Shrestha and Joshi 342.

Bistorta milletioides H. Ohba & S. Akiyama (Cat. 3: 158).

Rajbhandari 10094.

Fagopyrum megacarpum H. Hara (Cat. 3: 160).

Stainton 5493.

Fallopia filipes (H. Hara) Holub (Cat. 3: 160).

Stainton et al. 3082.

PRIMULACEAE

Primula didyma W.W. Sm. (Cat. 3: 55).

Bowes Lyon 2209.

Primula poluninii Fletcher (Cat. 3: 57).

Stainton 6349.

Primula ramzanae Fletcher (Cat. 3: 58).

Shrestha 5377.

Primula sharmae Fletcher (Cat. 3: 58).

Shrestha and Bista 2454.

Primula wigramiana W.W. Sm. (Cat. 3: 59).

Watson et al. DNEP3 AY30.

RANUNCULACEAE

Aconitum amplexicaule Lauener (Cat. 2: 7).

Stainton et al. 3751.

Aconitum poluninii Lauener (Cat. 2: 8).

Pendry et al. DNEP3BX301.

Aconitum tabatae Tamura (Cat. 2: 8).
Tabata et al. 3638.

Aconitum williamsii Lauener (Cat. 2: 8).
Shrestha and Ghimire SP326.

Clematis phlebantha L. H. J. Williams (Cat. 2: 13).
Shakya and Roy 5933.

Delphinium himalayae Munz (Cat. 2: 14).
Polunin et al. 5128.

ROSACEAE

Geum elatum Wall. ex G. Don forma **rubrum**
Ludlow (Cat. Suppl. 1: 70).
Polunin et al. 4419.

Potentilla x microcontigua Ikeda & H. Ohba
(Cat. 2: 111).
Miyamoto et al. 9430078.

Prunus taplejungnica H. Ohba & S. Akiyama
(Cat. Suppl. 1: 49, 70).
Noshiro et al. 9261245.

Sorbus sharmae M. F. Watson, V. Manandhar
& Rushforth (Cat. 2: 121).
Watson et al. 266.

SAXIFRAGACEAE

Saxifraga alpigena H. Sm. (Cat. 2: 124).
Stainton 5409.

Saxifraga cinerea H. Sm. (Cat. 2: 125),
Shrestha 4144.

Saxifraga excellens H. Sm. (Cat. Suppl. 1: 53).

Saxifraga harae H. Ohba & Wakab. (Cat. Suppl.
1: 53).
Ohba et al. 8531166.

Saxifraga hypostoma H. Sm. (Cat. 2: 126).
Stainton 4251.

Saxifraga mallae H. Ohba & Wakab. (Cat. Suppl.
1: 53).
Takayama et al. 9220315.

Saxifraga roylei H. Sm. (Cat. 2: 127).
Shakya and Bhattacharya 3229.

Saxifraga williamsii H. Sm. (Cat. 2: 128).
Rao 13887.

SCROPHULARIACEAE

Scrophularia bheriensis T. Yamaz. (Cat. 3: 111).
Polunin et al. 2487.

UMBELLIFERAE

Acronema johrianum Babu (Cat. 2: 151).
Watson et al. DNEP3 A54.

Chamaesium shrestheanum Farille & S. B.
Malla (Cat. 2: 153).
Olsen 318.

Lalldhowjia pastinacifolia Pimenov & Kljuykov
(Cat. Suppl. 1: 55, 70).
Pimenov, and Kljuykov 46.

Heracleum lallii C. Norman (Cat. 2: 153).
Malla 9238.

Oreocome involucellata Pimenov & Kljuykov
(Cat. Suppl. 1: 55, 70).
Pimenov, and Kljuykov 39.

Sinocarum normanianum (Cauwet-Marc &
Farille) Farille (Cat. 2: 156).
Shrestha and Shakya 3773.

Sinocarum staintonianum P. K. Mukh. ex Farille
& Lachard (Cat. Suppl. 1: 55, 70).
Stainton et al. 3591.

Vicatia nepalensis Kljuykov (Cat. Suppl. 1:56, 70).
Stainton 4929.